UNIVERSITY OF AGRICULTURAL SCIENCES, BENGALURU & INDIAN METEOROLOGICAL DEPARTMENT



Relative humidity (%) 1730 hours

Wind Speed (km/h)

Wind Direction

GRAMIN KRISHI MAUSAM SEWA AMFU, OFRS, NAGANAHALLI, MYSURU - 570003



Date: 06-08-2024

81

AGRO-ADVISORY BULLETIN FOR CHAMARAJANAGARA DISTRICT

Issued jointly by, UAS, Bengaluru & Indian Meteorological Department

Past Weather Data

Parameter	03.08.2024	04.08.2024	05.08.2024	06.08.2024				
Rainfall (mm)	0	0	0	0.5				
Max. Temp. (°C)	28.3	29	30.5	30.6				
Min. Temp. (°C)	21.3	21	21.6	22				
Sky condition (Octas)	-	-	-	-				
Relative humidity (%) 0830 hours	86	100	98	100				

79

85

66

Weather forecast for the next five days (From 07-08-2024 to 11-08-2024)						
Parameter	07.08.2024	08.08.2024	09.08.2024	10.08.2024	11.08.2024	
Rainfall (mm)	8	7	5	5	5	
Max. Temp. (°C)	32.9	32.7	34	33.8	29.8	
Min.Temp. (°C)	16.4	15.5	16.5	16.4	16.2	
Sky condition (Octas)	8	8	7	7	8	
Relative humidity (%) 0830 hours	89	87	81	88	89	
Relative humidity (%) 1730 hours	63	60	50	50	60	
Wind Speed (kmph)	6	6	7	7	7	
Wind Direction	292	292	292	291	283	

Forecast Summary

As forecast received from IMD, Cloudy sky with light to moderate rainfall may be expected from 07.08.2024 to 11.08.2024 in Chamarajanagara district. The day temperature is expected to be 29.8-34°C & night temperature is expected 15.5-16.5°C. The relative humidity in the morning hours is expected to be 81-89% & afternoon relative humidity is expected to be in the range of 50-63%. Wind speed expected to be 6-7 km/hr.

Recommendations to the farmers:						
Crop	Pest/Disease	Damage symptoms	Control measures			
General Advisory						

- **Spraying:** Perform pesticide and fungicide spraying due to moderate wind speeds.
- Soil Moisture: Maintain soil moisture through irrigation.
- Monitoring: Regularly monitor crops for pests and diseases and take timely action

Crop	Stage	Advisory						
Tomato	Ripening	Pest Management: Use spinosad. Monitor and manage fungal diseases.						
Ginger, Turmeric	Rhizome	Ensure proper drainage. Use fungicides if necessary. Mulch						
& Cabbage	development	to conserve soil moisture.						
Pulses (Green		Use neem oil for pest control. Apply nitrogenous fertilizers						
gram, Black gram,	Vegetative	if yellowing is observed.						
Cowpea, Avare,								
Groundnut) Banana	Bunch	Apply balanced fertilizers. Check for banana stem weevil						
Danana	development							
Paddy and Ragi	Transplanted	Ensure adequate irrigation and avoid water stagnation. Manual weeding or appropriate herbicides.						
Coffee	Berry	Monitor for leaf rust and use recommended fungicides.						
	development	Ensure adequate shade.						
Maize, Brinjal,		Monitor for aphids, jassids, and whiteflies. Use appropria						
Sunflower, Chilli	Vegetative	insecticides.						
and Cotton								
Beans	Flowering	Monitor for aphids and bean fly. Use neem-based products. Ensure regular irrigation.						
Coconut & Arecanut	-	Use neem oil for rugose whitefly. Remove affected leaves for caterpillar. Use pheromone traps for rhinoceros beetle.						
Maize Fall army worm	Vegetative stage	Use chlorantraniliprole or Emamectin benzoate for fall armyworm. Regular monitoring.						
Tobacco	Harvesting	Ensure proper curing conditions to prevent mold and rot. Avoid harvesting during rainy periods. Handle leaves gently to prevent damage.						
Tomato Fruit borer	Fruiting	 Caterpillar bore the flower buds and fruits. Infested flower buds with hole and drops off, fruit with a hole, water enter through the hole leads to rotting. Trap crop: For every 25 rows of tomato grow one row of marigold cultivar African tall. The marigold seedlings about 35-40 days old. If borer problems exceeds10 per cent spray 4 per cent. NSKE or 100 LE, Ha. NPV. If infestation in severe form spray 1.0 g. Methomil 40 SP. in a lit. water 						
Coconut black headed caterpillar	On compalm the Method: A not coloured pendente.	e and burn the severly affected fronds. nmunity basis feed the Manocrotophos 36 SL. to the rough root. neter away from trunk, dig out and select brown cil thickness size root. Cut the root in a slanting the polythene bag (size of 15 cm. length 4 cm.						

	breadth) add 7.5 to 10 ml. Monocrotophos 36 SL. with equal quantity of water, introduce and immerse cut end of the root in insecticide mixture and tie the bag with thread. • The palm absorb the chemical within a period of 24 hours, if					
	 The pain absorb the chemical within a period of 24 hours, if not after 48 hours select another root to feed the chemical. A month after chemial treatment release larval parasites: gravid, Goniozus@ 10 - 12 /palm. 					
	Caution : Not to harvest tender coconuts/matured coconuts for 30 days from date of chemical treatment.					
Coconut	Rhinoceros beetle Remove the beetle from infected part and fill 2 % Quinolphos or 5 % Melathion in sand @ 1:1 ratio.					
Sericulture	Maintain optimal temperature and humidity in silkworm rearing houses. Provide good ventilation. Use disinfectants to control diseases. Ensure mulberry leaves are clean and disease-free.					
Poultry	Ensure proper ventilation in poultry houses to maintain optimal temperature and humidity. Provide clean drinking water. Vaccinate against common diseases. Keep the poultry shed dry and clean to prevent disease outbreaks.					
Livestock	Ensure clean and dry housing to prevent hoof diseases. Provide adequate clean drinking water. Supplement diet with minerals and vitamins. Regularly check for external parasites and treat accordingly.					

Block level weather forecast (From 07-08-2024 to 11-08-2024)							
Chamarajanagara							
Parameter	07.08.2024	08.08.2024	09.08.2024	10.08.2024	11.08.2024		
Rainfall (mm)	1.2	5.1	0.1	1.8	2.6		
Max. temp (°C)	23.5	23.6	25.9	25.9	25.5		
Min.Temp (°C)	17.4	16.9	17.4	17.1	18		
Sky condition (Octas)	8	8	8	7	8		
Relative humidity (%) 0830 hours	85	85	78	86	87		
Relative humidity (%) 1730 hours	59	58	48	49	48		
Wind Speed (kmph)	11	15	16	14	13		
Wind Direction	283	257	257	270	288		

Gundlupete						
Parameter	07.08.2024	08.08.2024	09.08.2024	10.08.2024	11.08.2024	
Rainfall (mm)	2.5	8.8	0.4	3	5.9	
Max. temp (°C)	25.6	24.6	26.6	26.2	25.9	

Min.Temp (°C)	17.5	17.1	17.7	17.3	18.2
Sky condition (Octas)	8	8	8	7	8
Relative humidity (%) 0830 hours	89	88	81	88	90
Relative humidity (%) 1730 hours	57	62	51	55	54
Wind Speed (kmph)	11	15	15	13	11
Wind Direction	270	252	257	257	252

Kollegala							
Parameter	07.08.2024	08.08.2024	09.08.2024	10.08.2024	11.08.2024		
Rainfall (mm)	2.1	8.9	1.4	8.3	12.4		
Max. temp (°C)	24.2	25.2	27.5	27.6	27.5		
Min.Temp (°C)	18.8	18.4	18.6	18.5	19.3		
Sky condition (Octas)	8	8	8	7	8		
Relative humidity (%) 0830 hours	87	89	82	89	90		
Relative humidity (%) 1730 hours	67	60	53	51	51		
Wind Speed (kmph)	10	14	16	14	11		
Wind Direction	257	252	257	252	257		

Yelandur							
Parameter	07.08.2024	08.08.2024	09.08.2024	10.08.2024	11.08.2024		
Rainfall (mm)	2	8.1	0.7	5.2	7.9		
Max. temp (°C)	23.2	24	26.4	26.4	26.2		
Min.Temp (°C)	17.8	17.3	17.7	17.5	18.4		
Sky condition (Octas)	8	8	8	7	8		
Relative humidity (%) 0830 hours	86	87	81	88	89		
Relative humidity (%) 1730 hours	64	59	51	51	51		
Wind Speed (kmph)	11	14	16	14	12		
Wind Direction	257	252	257	252	257		

Hanur						
Parameter	07.08.2024	08.08.2024	09.08.2024	10.08.2024	11.08.2024	
Rainfall (mm)	3.8	11.7	2.4	12.5	20.7	
Max. temp (°C)	24.8	25.8	28	28	27.7	
Min.Temp (°C)	19.1	18.6	18.7	18.7	19.6	
Sky condition (Octas)	8	8	8	8	8	
Relative humidity (%) 0830 hours	91	91	86	93	94	

Relative humidity (%) 1730 hours	71	65	56	58	58
Wind Speed (kmph)	9	11	14	11	10
Wind Direction	283	257	270	270	270

- Download "**DAMINI**" app to get early warning on lightening and take precautions based on the alert given by the application.
- ➤ Kindly download"MAUSAM" APP for location specific forecast & warning &"MEGHDOOT" APP for Agromet advisory
- This information is available in the website: mausam.imd.gov.in

For any information farmers can contact **Dr. C. Ramachandra**, Senior Farm Superintendent/ **Dr. Sumanth Kumar.G.V**, Technical officer over phone No. 0821-259126/ 9535345814.


AMFU of IMD, Naganahalli, Mysuru

स्तविकवर्षातथाविस्तारितअवधिपूर्वानुमान Realized Rainfall and Extended Range Forecast

ealized Kainfall and Extended Kange Foreca (वर्षाऔरतापमान)

(Rainfall and Temperature)

Realized Rainfall







- Normal or above normal rainfall occurred in both the weeks over Uttarakhand, West Rajasthan, Madhya Pradesh, Chhattisgarh, Odisha, Gujarat Region, Maharashtra, Telangana, Coastal Andhra Pradesh, Karnataka, Kerala & Mahe and Lakshadweep.
- Normal or above normal rainfall occurred in either of the two weeks over Jammu & Kashmir and Ladakh (UTs), Himachal Pradesh, West Uttar Pradesh, Jharkhand, Gangetic West Bengal, Saurashtra & Kutch, East Rajasthan, Rayalaseema and Tamil Nadu Puducherry & Karaikal.
- Below Normal rainfall/no rain occurred in both the weeks over Punjab, Haryana Chandigarh & Delhi, East Uttar Pradesh, Bihar, Sub-Himalayan West Bengal & Sikkim, Assam & Meghalaya, Arunachal Pradesh, Nagaland Manipur Mizoram & Tripura (NMMT) and Andaman & Nicobar Islands.

Extended Range Forecast System


Rainfall forecast maps for the next 2 weeks (IC- 31stJuly, 2024) (02ndto 15thAugust, 2024)






- Week 1 (02.08.2024 to 08.08.2024): Rainfall is likely to be above normal over most parts of the country.
- Week 2 (09.08.2024 to 15.08.2024):Rainfall is likely to be above normal overNorthwest India and Indo Gangetic Plains.However, it is likely to be below normal over Central India, Northeast India and along West coast.

Maximum and Minimum temperature anomaly (°C) forecast for the next 2 weeks (IC- 31stJuly, 2024) (02ndto 15thAugust, 2024)



Maximum Temperature (Tmax)

- Week 1 (02.08.2024 to 08.08.2024): Maximum temperature is likely to be normal to below normal over most parts of the country.
- Week 2 (09.08.2024 to 15.08.2024): Maximum temperature is likely to above normal over South India and some parts of Central India. It is likely to be below normal over Northwest India, East India and Northeast India.



Minimum Temperature (Tmin)

- Week 1 (02.08.2024 to 08.08.2024): Minimum temperature likely to be slightly above normal over parts of Northwest India, Central India, East India and Karnataka.
- Week 2 (09.08.2024 to 15.08.2024): Minimum temperature likely to be slightly above normal over parts of Maharashtra, Madhya Pradesh, Chhattisgarh, Gujarat, Himachal Pradesh and Uttarakhand. It is likely to be above normal over parts of Karnataka.